

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 1 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1

Remarks:

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
1,1,1,2-Tetrachloroethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,1,1-Trichloroethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,1,2,2-Tetrachloroethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,1,2-Trichloroethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,1-Dichloroethane	EPA 8260B	ND	µg/L	U	2.0	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
+ 1,1-Dichloroethene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,2,4-Trichlorobenzene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,2-Dibromo-3-chloropropane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,2-Dibromoethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,2-Dichloroethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,2-Dichloropropane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,3-Dichlorobenzene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,4-Dichlorobenzene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAC requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 2 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
2-Butanone	EPA 8260B	ND	µg/L	U	6.0	15.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
2-Hexanone	EPA 8260B	ND	µg/L	U	6.0	15.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
4-Methyl-2-pentanone	EPA 8260B	ND	µg/L	U	6.0	15.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Acetone	EPA 8260B	38.6	µg/L	--	6.0	15.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Benzene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Bromochloromethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Bromodichloromethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Bromoform	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Bromomethane	EPA 8260B	ND	µg/L	U	2.0	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Carbon disulfide	EPA 8260B	ND	µg/L	U	7.0	15.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Carbon tetrachloride	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Chlorobenzene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Chloroethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAC requirements.
Refer to eqlab certification number: E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 3 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Chloroform	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Chloromethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Dibromochloromethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Dichloromethane	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Ethylbenzene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Styrene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Tetrachloroethene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Toluene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Trichloroethene	EPA 8260B	ND	µg/L	U	2.0	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
Vinyl chloride	EPA 8260B	ND	µg/L	U	2.0	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
+ cis-1,2-Dichloroethene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
cis-1,3-Dichloropropene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
m,p-Xylene	EPA 8260B	ND	µg/L	U	1.8	6.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAP requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 4 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
o-Dichlorobenzene	EPA 8260B	ND	µg/L	U	1.0	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
o-Xylene	EPA 8260B	ND	µg/L	U	2.3	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
trans-1,2-Dichloroethene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
trans-1,3-Dichloropropene	EPA 8260B	ND	µg/L	U	1.2	3.0	--	06/16/2020	19:47	DARF	06/16/2020	DARF	EPA 5030B
1,3-Dichlorobenzene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
1,4-Dichlorobenzene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2,4,5-Trichlorophenol	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2,4,6-Trichlorophenol	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2,4-Dichlorophenol	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2,4-Dimethylphenol	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2,4-Dinitrophenol	EPA 8270C	ND	µg/L	U	1.35	10.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2,4-Dinitrotoluene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2,6-Dinitrotoluene	EPA 8270C	ND	µg/L	U	0.30	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAC requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 5 of 12

Sample Number: 3276858
Work Order: 1697-01-15
Delivery Slip: 2020-05416
Folder Number: 289295

Collected Date & Time: 06/12/2020 14:32
Received Date & Time: 06/12/2020 16:10
Temperature at Arrival: ROOM TEMPERATURE

Date of Report: 06/30/2020
Collected By: BTORRES
EqLab Rep.: JFUENTES
Proposal Number: 24560 - 1

Remarks:

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
2-Chloronaphthalene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2-Chlorophenol	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2-Methyl-4,6-dinitrophenol	EPA 8270C	ND	µg/L	U	1.20	10.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2-Methylnaphthalene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
2-Nitrophenol	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
3,3-Dichlorobenzidine	EPA 8270C	ND	µg/L	U	0.35	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
4-Bromophenyl phenyl ether	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
4-Chloro-3-methylphenol	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
4-Chlorophenyl phenyl ether	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
4-Nitrophenol	EPA 8270C	ND	µg/L	U	1.10	10.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Acenaphthene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
+ Acenaphthylene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Anthracene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAC requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 6 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - I
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Benzo(b)fluoranthene	EPA 8270C	ND	µg/L	U	0.30	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Benzo(g,h,i)perylene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Benzo(k)fluoranthene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Benzo[a]pyrene	EPA 8270C	ND	µg/L	U	0.25	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Bis(2-chloroethoxy)methane	EPA 8270C	ND	µg/L	U	0.25	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Bis(2-chloroethyl) ether	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Butyl benzyl phthalate	EPA 8270C	3.47	µg/L	--	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Chrysene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Di(2-ethylhexyl)phthalate	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Di-n-butyl phthalate	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Di-n-octyl phthalate	EPA 8270C	ND	µg/L	U	0.25	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Dibenz(a,h)anthracene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Diethyl phthalate	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAP requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 7 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Dimethyl phthalate	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Fluoranthene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Fluorene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Hexachlorobenzene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Hexachlorobutadiene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Hexachlorocyclopentadiene	EPA 8270C	ND	µg/L	U	1.80	10.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Hexachloroethane	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Indeno(1,2,3-cd)pyrene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Isophorone	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
N-Nitrosodi-n-propylamine	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
N-Nitrosodiphenylamine	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Naphthalene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Nitrobenzene	EPA 8270C	ND	µg/L	U	0.85	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAP requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 8 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Pentachlorophenol	EPA 8270C	ND	µg/L	U	1.10	10.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Phenanthrene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Phenol	EPA 8270C	ND	µg/L	U	0.25	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
Pyrene	EPA 8270C	0.58	µg/L	J	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
o-Dichlorobenzene	EPA 8270C	ND	µg/L	U	0.20	1.00	--	06/25/2020	01:12	LOCO	06/19/2020	RMR	EPA 3510C
4,4-DDD	EPA 8081A	ND	µg/L	U	0.020	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
4,4-DDE	EPA 8081A	ND	µg/L	U	0.020	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
4,4-DDT	EPA 8081A	ND	µg/L	U	0.020	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Aldrin	EPA 8081A	ND	µg/L	U	0.025	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Alpha-BHC	EPA 8081A	ND	µg/L	U	0.035	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Alpha-Chlordane	EPA 8081A	ND	µg/L	U	0.025	0.160	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Beta - BHC	EPA 8081A	ND	µg/L	U	0.040	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Delta-BHC	EPA 8081A	ND	µg/L	U	0.035	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignore MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAC requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 9 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Dieldrin	EPA 8081A	ND	µg/L	U	0.020	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Endosulfan I	EPA 8081A	ND	µg/L	U	0.040	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Endosulfan II	EPA 8081A	ND	µg/L	U	0.020	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Endosulfan sulfate	EPA 8081A	ND	µg/L	U	0.050	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Endrin	EPA 8081A	ND	µg/L	U	0.060	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Endrin aldehyde	EPA 8081A	ND	µg/L	U	0.020	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Gamma - BHC	EPA 8081A	ND	µg/L	U	0.015	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Gamma-Chlordane	EPA 8081A	ND	µg/L	U	0.025	0.160	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Heptachlor	EPA 8081A	ND	µg/L	U	0.015	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Heptachlor epoxide	EPA 8081A	ND	µg/L	U	0.015	0.100	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
+ Hexachlorocyclopentadiene	EPA 8081A	ND	µg/L	U	0.100	1.000	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Methoxychlor	EPA 8081A	ND	µg/L	U	0.035	0.160	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Toxaphene	EPA 8081A	ND	µg/L	U	0.600	1.000	--	06/23/2020	01:18	KMN	06/17/2020	KMN	EPA 3510C

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level. All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAP requirements.
Refer to eqlab certification number E87783 at www.equlab.com

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.equlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 10 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Aluminum - Total	EPA 6010B	7.15	mg/L	--	0.03	0.05	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Antimony - Total	EPA 6010B	BDL	mg/L	U	0.01	0.10	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Arsenic - Total	EPA 6010B	BDL	mg/L	U	0.01	0.10	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Barium - Total	EPA 6010B	0.085	mg/L	J	0.015	0.200	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Beryllium - Total	EPA 6010B	BDL	mg/L	U	0.0002	0.0010	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Cadmium - Total	EPA 6010B	0.0017	mg/L	--	0.0005	0.0010	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Calcium - Total	EPA 6010B	105	mg/L	--	0.50	5.00	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Chromium - Total	EPA 6010B	0.020	mg/L	J	0.010	0.050	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Cobalt - Total	EPA 6010B	BDL	mg/L	U	0.010	0.100	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Copper - Total	EPA 6010B	0.081	mg/L	--	0.005	0.050	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Iron - Total	EPA 6010B	7.94	mg/L	--	0.02	0.05	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Lead - Total	EPA 6010B	0.011	mg/L	J	0.010	0.100	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Magnesium - Total	EPA 6010B	260	mg/L	D	5.00	100.00	--	06/17/2020	14:02	YDCV	06/15/2020	YDCV	SW846-3005A

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
* = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAP requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 11 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Manganese - Total	EPA 6010B	0.206	mg/L	--	0.005	0.050	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Nickel - Total	EPA 6010B	BDL	mg/L	U	0.005	0.025	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Potassium - Total	EPA 6010B	85.6	mg/L	D	12.50	50.00	--	06/17/2020	14:02	YDCV	06/15/2020	YDCV	SW846-3005A
Selenium - Total	EPA 6010B	BDL	mg/L	U	0.03	0.10	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Silver - Total	EPA 6010B	BDL	mg/L	U	0.0020	0.0100	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Sodium - Total	EPA 6010B	2238	mg/L	D	50.00	200.00	--	06/17/2020	13:58	YDCV	06/15/2020	YDCV	SW846-3005A
Thallium - Total	EPA 6010B	0.12	mg/L	--	0.06	0.10	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Vanadium - Total	EPA 6010B	0.045	mg/L	J	0.008	0.100	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Zinc - Total	EPA 6010B	0.425	mg/L	--	0.020	0.250	--	06/17/2020	05:41	YDCV	06/15/2020	YDCV	SW846-3005A
Cyanide - Total	EPA 335.4 /	0.0020	mg/L	--	0.0020	0.0050	--	06/18/2020	15:07	SPV	06/18/2020	SPV	Distillation
+ Mercury - Total	EPA 7470A	BDL	mg/L	U	0.0001	0.0005	--	06/15/2020	16:12	AFNC	06/15/2020	AFNC	Method Digestion
Aroclor 1016	EPA 8082	ND	mg/L	U	0.00009	0.00010	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Aroclor 1221	EPA 8082	ND	mg/L	U	0.00025	0.00050	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C

ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification



The results presented herein meet all NELAP requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

To: SAN JUAN BAY ESTUARY PROGRAM
P.O. BOX 9509
SAN JUAN PR 00908-9509

Attn: DR. JORGE BAUZA
Source: ASHFORD 1485 PUMP STA.
ASHFORD 1485, CONDADO, SAN JUAN

Project Name: SITE INVESTIGATION
Facility: DNER PUMP STATION
Description: SURFACE WATER - Grab
Client Ref. #: N/A



Laboratory Test Report

This report shall not be reproduced, except in full, without the written consent of Environmental Quality Laboratories, Inc.

Page 12 of 12

Sample Number:	3276858	Collected Date & Time:	06/12/2020 14:32	Date of Report:	06/30/2020
Work Order:	1697-01-15	Received Date & Time:	06/12/2020 16:10	Collected By:	BTORRES
Delivery Slip:	2020-05416	Temperature at Arrival:	ROOM TEMPERATURE	Eqlab Rep.:	JFUENTES
Folder Number:	289295			Proposal Number:	24560 - 1
Remarks:					

Parameter	Method	Results	Units	DQ	Limits			Analysis			Prep Method		
					MDL	MRL	MCL	Date	Time	By	Date	By	Method
Aroclor 1232	EPA 8082	ND	mg/L	U	0.00005	0.00010	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Aroclor 1242	EPA 8082	ND	mg/L	U	0.00007	0.00010	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Aroclor 1248	EPA 8082	ND	mg/L	U	0.00005	0.00010	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Aroclor 1254	EPA 8082	ND	mg/L	U	0.00004	0.00010	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C
Aroclor 1260	EPA 8082	ND	mg/L	U	0.00007	0.00010	--	06/24/2020	19:26	KMN	06/17/2020	KMN	EPA 3510C



ND = Not Detected MCL = Maximum Contaminant Level BDL = Below Detection Limit DNI = Does Not Ignite MDL = Minimum Detection Limit N/A = Not Applicable
MO = Monitoring Only MRL = Minimum Reporting Level PTRL = Pattern Recognition Level All results are calculated on a wet weight basis unless otherwise stated. All results relate only to this sample.
+ = Parameter is not accredited under EQLab's NELAP Certification

ACCREDITED IN ACCORDANCE WITH
nelac
The results presented herein meet all NELAC requirements.
Refer to eqlab certification number E87783 at www.eqlab.com.

ENVIRONMENTAL QUALITY LABORATORIES, INC.

60 E STREET, MINILLAS INDUSTRIAL PARK, BAYAMÓN, PR 00959
PO BOX 11458 SANTURCE, PR 00910-1458 TEL. (787) 288-6420 FAX (787) 288-6465 www.eqlab.com

PRDOH Certified
EPA ID PR00014

SAMPLE DELIVERY SLIP & CHAIN OF CUSTODY

2020-05416

PO BOX 11458, SAN JUAN, PR 00910-1458 • TEL. (787) 288-6420, FAX (787) 288-6465, e-mail: info@eqlab.com

CLIENT NAME: SAN JUAN BAY ESTUARY PROGRAM CLIENT ID: 1697-01 W.O. #: 15 SITE: ASHFORD 1485, CONDADO, SAN JUAN CLIENT REP: DR. JORGE BAUZA

P.O. #: N/A PWSID #: FOLDER #: 289295 PROJECT: DNER ASHFORD 1485 EQLAB REP: JPUENTES

SAMPLE INFORMATION			CONTAINER INFORMATION			FIELD TESTING		ANALYSIS REQUESTED	
SAMPLE #:	3276858-1	DATE: 6/12/2020	TYPE	COLOR	VOLUME			Cyanide - Total	
MATRIX:	SURFACE WATER	TIME: 2:30	G/PC	AMBER					
SOURCE:	ASHFORD 1485 PUMP STA., ASHFORD 1485, CONDADO, SAN JUAN	TYPE: Grab	PRESERVATIVE Asc Acid, NaOH, Cool 4 °C						
SAMPLE #:	3276858-2	DATE: 6/12/2020	TYPE	COLOR	VOLUME			TCL 8081A PESTICIDES, TCL 8082 PCB SVOC, TCL 8270C SVOC	
MATRIX:	SURFACE WATER	TIME: 2:32	G/TC	AMBER					
SOURCE:	ASHFORD 1485 PUMP STA., ASHFORD 1485, CONDADO, SAN JUAN	TYPE: Grab	PRESERVATIVE Cool 4 °C						
SAMPLE #:	3276858-3	DATE: 6/12/2020	TYPE	COLOR	VOLUME			TAL Mercury, TAL Metals - ICP: Ti, Zn, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, K, Se, Ag, V, Co, Ni, Na,	
MATRIX:	SURFACE WATER	TIME: 2:35	P/PC	N/A					
SOURCE:	ASHFORD 1485 PUMP STA., ASHFORD 1485, CONDADO, SAN JUAN	TYPE: Grab	PRESERVATIVE HNO3 pH<2						
SAMPLE #:	3276858-4	DATE: 6/12/2020	TYPE	COLOR	VOLUME			TCL 8260B VOC	
MATRIX:	SURFACE WATER	TIME: 2:40	VIAL/TC	CLEAR					
SOURCE:	ASHFORD 1485 PUMP STA., ASHFORD 1485, CONDADO, SAN JUAN	TYPE: Grab	PRESERVATIVE HCl pH<2, Cool 4 °C						

CUSTODY RECORD	SIGNATURE	DATE	TIME	SPECIAL INSTRUCTIONS / COMMENTS:
Collected in field by:	Brenda Torres	6/12/20	2:40	
Fixed in field by:	Brenda Torres	6/12/20	2:40	
Authorized by:	N/A	N/A		
Received by EQLF:	N/A	N/A		
Released to EQLL by:	Adalberto Roman	6/12/20	11:10	
Received by EQLL:	Adalberto Roman	6/12/20	11:10	

*EQLF = Eqlab's Field Personnel.

*EQLL = Eqlab's Log-in Personnel.

Arrival Temperature: RF Signature: HR
Eqlab's general terms and conditions on reverse side of this document.